

Z-Wave Protocol Implementation Conformance Statement

Qubino Flush 1D relay

General Information

Product Identifier:	ZMNHN
Brand Name:	QUBINO
Product Version:	01
Z-Wave Certification #:	ZC10-15070017

Z-Wave Product Information

Supports Z-Wave Beaming Technology?	Yes
Supports Z-Wave Network Security?	Yes
Supports Z-Wave AES-128 Security S0?	No
Supports Security S2?	No
SmartStart Compatible?	No

Z-Wave Technical Information

Z-Wave Frequency:	CEPT (Europe)
Z-Wave Product ID:	0x0053
Z-Wave Product Type:	0x0002
Z-Wave Hardware Platform:	ZM5202
Z-Wave Development Kit Version:	6.51.06
Z-Wave Library Type:	Enhanced 232 Slave
Z-Wave Device Type / Role Type:	On/Off Power Switch / Always On Slave

Association Group Information

Group # / Max	Description
Nodes	
1 / 1	Group 1: Lifeline group (reserved for communication with the main controller), 1 node allowed.
2 / 16	Group 2: basic on/off (triggered at change of the output state and reflecting its state) up to 16 nodes.
3 / 16	Group 3: basic on/off (triggered at change of the input I2 state and reflecting its state) up to 16 nodes.
4 / 16	Group 4: Binary Sensor Report (triggered at change of the input I2 state and reflecting its state) up to 16 nodes.
5 / 16	Group 5: Notification Report (triggered at change of the input I2 state and reflecting its state) up to 16 nodes.

Z-Wave Protocol Implementation Conformance Statement

(Continued)

Qubino Flush 1D relay