

## Z-Wave Protocol Implementation Conformance Statement

### homee Z-Wave Cube

#### General Information

<b>Product Identifier:</b>	HOMEE-0002
<b>Brand Name:</b>	homee
<b>Product Version:</b>	HW: 2 FW: 6.01:02.81:01.00:01.00
<b>Z-Wave Certification #:</b>	ZC10-19016354

#### Product Features

<b>Communications Connections</b>	Ethernet (Wireless/WiFi)
<b>Communications Protocol</b>	Manufacturer Proprietary Protocol
<b>Firmware Updatable</b>	Updatable by Consumer via Internet
<b>Gateway Has Preferred Partners</b>	No
<b>Supported Notification Types</b>	Appliance CO Alarm CO2 Alarm Heat Alarm Siren Smoke Alarm Water Alarm
<b>Supported Meter Type</b>	Electric Energy
<b>Sensors</b>	Air Temperature Carbon Dioxide Current Frequency Heat Humidity Loudness Motion/No Motion (Binary) Open/Closed (Binary) Power

# Z-Wave Protocol Implementation Conformance Statement

(Continued)

## homee Z-Wave Cube

### Z-Wave Product Information

Supports Z-Wave Beaming Technology?	Yes
Supports Z-Wave Network Security?	Yes
Supports Z-Wave AES-128 Security S0?	Yes
Supports Security S2?	Yes: S2 Access Control, S2 Authenticated, S2 Unauthenticated
SmartStart Compatible?	No

### Z-Wave Technical Information

<b>Z-Wave Frequency:</b>	CEPT (Europe)
<b>Z-Wave Product ID:</b>	0x3700
<b>Z-Wave Product Type:</b>	0x0013
<b>Z-Wave Hardware Platform:</b>	ZM5202
<b>Z-Wave Development Kit Version:</b>	6.81.01
<b>Z-Wave Library Type:</b>	Bridge Controller
<b>Z-Wave Device Type / Role Type:</b>	Gateway / Central Static Controller

### Association Group Information

**Group # / Max**    **Description**

**Nodes**

1 / 1                    homee supports the association group 1 (Lifeline). A maximum number of 1 node can be added to this association group. The only event sent to this group is the device reset locally notification.

**Supported Command Classes (20):**

Application Status	Association Group Information V3
Association V2	CRC16 Encapsulation
Device Reset Locally	Inclusion Controller
Mailbox	Manufacturer Specific V2
Multi-Command	Network Management Basic V2
Network Management Inclusion V3	Network Management Installation and Maintenance
Network Management Proxy V2	Powerlevel
Security S0	Security S2
Supervision	Transport Service V2
Version V2	Z-Wave Plus Info V2

# Z-Wave Protocol Implementation Conformance Statement

(Continued)

homee Z-Wave Cube

## Controlled Command Classes (30):

Association V2	Basic
Battery	Central Scene V3
Configuration V4	CRC16 Encapsulation
Door Lock V3	Manufacturer Specific V2
Meter V3	Multi-Channel Association V3
Multi-Channel V4	Network Management Basic V2
Network Management Inclusion V3	Network Management Installation and Maintenance
Network Management Proxy V2	No Operation
Notification V8	Protection V2
Security S0	Security S2
Sensor Alarm	Sensor Binary V2
Switch Binary V2	Switch Color V3
Switch Multilevel V4	Thermostat Mode V3
Thermostat Setpoint V3	Wake Up V2
Z/IP Portal	Z/IP V3