



Z-Wave Protocol Implementation Conformance Statement

Telus Boost IoT-A

General Information

Product Identifier:	TBoost-A.2
Brand Name:	TELUS
Product Version:	HW: 176 FW: 7.13:04.13
Z-Wave Certification #:	ZC12-21060237

Product Features

Firmware Updatable	Updatable by Manufacturer
Battery Type	
Battery Quantity	
Communications Protocol	Z-Wave Serial API
Thermostat Modes	(No feature option values set for this feature)
Z-Wave Scene Type	Central Scene

Z-Wave Product Information

Supports Z-Wave Beaming Technology?	Yes
Supports Z-Wave Network Security?	Yes
Supports Z-Wave AES-128 Security S0?	Yes
Supports Security S2?	Yes: S2 Access Control, S2 Authenticated, S2 Unauthenticated
SmartStart Compatible?	Yes

Z-Wave Technical Information

Z-Wave Frequency:	U.S. / Canada / Mexico
Z-Wave Product ID:	0x0113
Z-Wave Product Type:	0x0013
Z-Wave Hardware Platform:	ZGM130
Z-Wave Development Kit Version:	7.13.6
Z-Wave Library Type:	Bridge Controller

Association Group Information

Group # / Max Description

Nodes

1 / 56 This association group is used to report when device has been reset

Supported Command Classes (21):

Application Status	Association Group Info
Association V2	CRC16 Encapsulation
Device Reset Locally	Firmware Update Meta-Data V5
Inclusion Controller	Indicator V3
Manufacturer Specific	Multi-Channel Association V3
Multi-Command	Network Management Inclusion V3
Node Provisioning	Powerlevel
Security S0	Security S2
Supervision	Time V2
Transport Service V2	Version V3
Z-Wave Plus Info V2	

Controlled Command Classes (27):

Barrier Operator	Basic
Configuration	CRC16 Encapsulation
Device Reset Locally	Door Lock
Inclusion Controller	Indicator V3
Manufacturer Specific	Meter
Multi-Channel V4	Multi-Command
Notification V3	Powerlevel
Security S0	Security S2
Sensor Multilevel	Switch Binary V2
Switch Color	Switch Multilevel
Thermostat Mode	Thermostat Setpoint
Transport Service V2	User Code
Version V3	Wake Up V2
Z-Wave Plus Info V2	