



Z-Wave Protocol Implementation Conformance Statement

Z-Wave™ In-Wall Smart Paddle Switch

General Information

Product Identifier:	ZW30S 800LR
Brand Name:	Minoston
Product Version:	HW: 01 FW: 00.03
Z-Wave Certification #:	ZC14-23070305

Product Features

Color	White
Electric Load Type	Incandescent Inductive (e.g. Motor) LED
Firmware Updatable	Updatable by Consumer by RF
Switch Load Capacity Current	15A
Switch Load Capacity Watts	1875W

Z-Wave Product Information

Supports Z-Wave Beaming Technology?	Yes
Supports Z-Wave Network Security?	Yes
Supports Z-Wave AES-128 Security S0?	No
Supports Security S2?	Yes: S2 Authenticated, S2 Unauthenticated
SmartStart Compatible?	Yes

Z-Wave Protocol Implementation Conformance Statement

(Continued)

Z-Wave™ In-Wall Smart Paddle Switch

Z-Wave Technical Information

Z-Wave Frequency:	U.S. / Canada / Mexico, US_LR, U.S. / Canada / Mexico, U.S. / Canada / Mexico
Z-Wave Product ID:	0x3435
Z-Wave Product Type:	0x4952
Z-Wave Hardware Platform:	EFR32ZG23A
Z-Wave Development Kit Version:	7.19.3
Z-Wave Library Type:	Enhanced End Node 232
Z-Wave Device Type / Role Type:	Binary Switch DT / Always On End Node

Association Group Information

Group # / Max Description

Nodes

1 / 5

2 / 5

3 / 5

Supported Command Classes (17):

Association Group Information (AGI) V3	Association V2
Basic V2	Binary Switch V2
Central Scene V3	Configuration V4
Device Reset Locally	Firmware Update Meta Data V5
Indicator V3	Manufacturer Specific V2
Multi Channel Association V3	Powerlevel
Security 2	Supervision
Transport Service V2	Version V3
Z-Wave Plus Info V2	