



Z-Wave Protocol Implementation Conformance Statement

Heavy Duty Smart Switch Gen5

General Information

Product Identifier: ZW078-A_Aeon_1406
Brand Name: Aeotec
Product Version: HW: 78 FW: 3.26
Z-Wave Certification #: ZC10-14060004

Z-Wave Product Information

Supports Z-Wave Beaming Technology? Yes
Supports Z-Wave Network Security? Yes
Supports Z-Wave AES-128 Security S0? No
Supports Security S2? No
SmartStart Compatible? No

Z-Wave Technical Information

Z-Wave Frequency: U.S. / Canada / Mexico
Z-Wave Product ID: 0x004E
Z-Wave Product Type: 0x0103
Z-Wave Hardware Platform: ZM5202
Z-Wave Development Kit Version: 6.51.00
Z-Wave Library Type: Enhanced 232 Slave
Z-Wave Device Type / Role Type: On/Off Power Switch / Always On Slave

Association Group Information

Group # / Max	Description
---------------	-------------

Nodes

1 / 5	Group 1 is assigned to the Lifeline association group and every device has 5 nodes to associate.
2 / 5	When the Heavy Duty Smart Switch Gen5 receives the following commands, it will forward the commands to all node IDs (in Group 2). The command will be sent via multicast (if there are more than 2 Node IDs) or single-cast (if there is only one Node ID). Commands: Basic Set, Switch Binary Set, Scene Activation Set.

Z-Wave Protocol Implementation Conformance Statement

(Continued)

Heavy Duty Smart Switch Gen5

Supported Command Classes (16):

Association Group Information V1

Command Class Basic

Command Class CRC16 Encap

Command Class Manufacturer Specific

Command Class Powerlevel

Command Class Scene Actuator Conf

Command Class Switch All

Command Class Version

Command Class Association

Command Class Configuration

Command Class Device Reset Locally

Command Class Meter

Command Class Scene Activation

Command Class Sensor Multilevel

Command Class Switch Binary

Command Class Z-Wave+ Info

Controlled Command Classes (4):

Command Class Basic

Command Class Scene Activation

Command Class Hail

Command Class Switch Binary